


Delmar Driving Cap

Important note:


The pattern pieces are designed to be printed at 100%. Before printing the patterns, make sure that page scaling is set to none in Adobe Acrobat print window. To be sure that your patterns are going to print at the correct size, measure the box on the first pattern page. It should measure exactly 1 inch by 1 inch.





For sizes XXS, S, and L: Print pages 2-7

For sizes XS, M, and XL: Print pages 8-13

1 x 1







Delmar
Driving
Cap

Dart edge

**CROWN
TOP**
sizes *XXS-S-L*
Part A

Place edge on fold


Place over shaded area on Part B


Overlap and attach Part A here

Cut 1 of fashion fabric
Cut 1 of lining fabric

**CROWN
TOP**
sizes XXS-S-L
Part B

grain line





Delmar
Driving
Cap

OUTER

BRIM

sizes XXS-S-L

Cut 2 of
fashion fabric

grain line

XXS

S

L

XXS


S

L

XXS

S

L



Delmar
Driving
Cap

**INNER
BRIM**

sizes XXS-S-L


XXS

S

L

Cut 1 of
interfacing

1 x 1



Overlap and attach A here

Delmar Driving Cap

Cut 2 of fashion fabric
Cut 2 of lining fabric

grain line

CROWN SIDE


sizes XS-M-XL


Part B

XS

M

XL






Overlap and attach Part A here


Cut 1 of fashion fabric
Cut 1 of lining fabric

CROWN TOP

sizes XS-M-XL

Part B





Delmar
Driving
Cap

OUTER

BRIM

sizes XS-M-XL

XS ●
M ●
XL ●

XS ●
M ●
XL ●


XS

M

XL

Cut 2 of
fashion fabric

grain line



Delmar
Driving
Cap

**INNER
BRIM**

sIZES XS-M-XL

↖ XS

↖ M

↖ XL

Cut 1 of
interfacing